

Home Elevator System



It's not Just a Lift It's
Life Style

**Suitable only for Personal use in
Home / Villas with standard Lift Cars.**

Safety

Preparation for your relief

Reliable operating system

- The roped traction system widely used on conventional elevators in most buildings is applied to Home Elevator. Advantages over hydraulic elevators include :
 - Smoother acceleration and deceleration by Inverter Control.
 - No odor, no oil leak - environmentally-friendly.
 - Car waits at the floor which it has last served unlike hydraulic equipment which automatically returns to the designated floor.

Automatic home landing

- When the elevator is not in use for a fixed period time you can make the elevator to move to and wait at home floor which previously you set up.

Automatic rescue device

- When blacking out, immediately standby power in on and car lighting is made readily available to bring the elevator safely to the nearest lower landing or the bottom landing. When the elevator arrives at the nearest lower landing or the bottom landing the doors will automatically open. When the power restores, you can use elevator as usual.



Call Cutout

- Call cutout can be set not to stop the floor where you don't want to stop at.

Parking key switch

- Parking key switch at entrance renders the elevator inoperative.
- This device is safety function for children not to play with the home elevator.



Contact device with outside

- When you are entrapped in a car, you can call to Otis emergency call center with the phone which is equipped in a car. (Please ask to local Frankson office for detail)



Maintenance service

- Frankson offer "Safety" to you with "Service" "Support" and "Speedy".
- There is local government regulation for maintenance.
- Therefore for the further maintenance service, please contact with your local Frankson office.

Comfort

Consideration for your Convenience

Optimum door time

- Four-panel center opening doors are adopted to make door time (door opening and closing time) significantly shorter than two-panel two-speed sliding doors. Irritation with slowly moving doors will be eliminated.




Light beam door protection system

- Light beam door sensor which can detect hazard at door opening area.



10 mm running clearance

- 10 mm running clearance which clearance, is the industry's smallest, between sills of entrance and elevator car avoid the aged and wheelchair user to stumble on.



Rear car wall panel with mirror or window

- A mirror and window are available on back panel. Mirror helps to dress yourself before going out and provide a roomy space. Window can provide a nice view. It is available to choose window type from 3 different size.



Additional parking key switch

- Parking key switch at entrance renders the elevator inoperative.
- You can add key switch for your convenience to enter from more than 2 entrances. For example, B1F : garage 1F : entrance.



High level inspection and maintenance Service



Parts supply system for continuous support

Correspond to emergency Situation Speedy

Capacity up to 4 Passenger

www.franksonellevator.com

Home Elevator



Home Lift is the lift designed to meet vertical mobility needs in public and private buildings. It is the ideal solution for elderly and impaired mobility persons who can finally move autonomously and free from stairs.

It is a modern product, designed and manufactured to meet a wide range of needs : from the garage to the roof, you can move effortlessly up to 4 floors.



A SMARTER LIFE

Home Elevator Doors



Wooden Door With 4 Panel



Wooden Door



Full Glass Door



S.S. Frame Glass Door

Less Space

Less Energy More Flexibility

Features & benefits

- More choices, both traction and hydraulic types are available.
- Attractive modular and flexible designs.
- Operates on normal household current.
- Energy-saving design, consuming electricity as less as a refrigerator.
- Battery powered emergency lowering (optional extra).
- Both manual and automatic landing doors are available.
- Minimal construction work required before installation.
- Low headroom / overhead height requirement.
- Minimal maintenance required thereby reducing running cost.
- Offer more comfortable and stable transportation.
- Low cost and spare parts are easier to be found.

30%
Energy Saving


- Single phase lift operated on 230 volts.
- High efficient gearless traction machine.
- Eco-friendly.
- Easy installation and maintenance free.



Single Phase
Mini Gearless Machine



Home Elevator



S.S. COP



S.S. LOP



Horizontal Display



Golden COP



Golden LOP



Oval Type Push Button



Push Button

Raised Panel

Raised Panels in oak, Maple, or Cherry give a traditional look to any application.



HOME - FEC - 01

Veneer Panel

Wood veneer offers a sleek wood option or a base for a cabinet finisher to add molding to match any home decor.



HOME - FEC - 02

Melamine Panel

Perfect for durable, simple finish that is easy to maintain.



HOME - FEC - 03


Glass Panel

For a clean, Modern, and open concept layout, Aluminum frames can be painted in white, black, or custom color



HOME - FEC - 04

Ceiling Designs



Designs It yourself

Want an elevator, but undecided on the finishing. We provide the basics, and your builder finishes to your specifications.



HOME - FEC - 05



HOME - FEC - 06



HOME - FEC - 07



HOME - FEC - 08

ISO 9001-2008 Certified Company
18001-2007 Certified Company
A CE Certified Company



Elevator & Escalator

India Estern Zone Office Address :

Frankson Automation Company Pvt. Ltd.

Chinar Park Rajarhat,

(Opposite to Teghoria Loknath Mandir)

K.R. Plaza, Ground Floor, Kolkata - 7000059.

Phone : 033 2516 4056 / 2516 0457

6500 0773 / 90075 56123

India Estern Zone Factory Address :

Gokna, Joduhati , Baduria 24 PGS,

West Bengal Pin : 743401

Phone : 03217 237061 / + 91 9735784005

Website : www.franksonelevator.com

www.franksongroup.com



E-mail :

- info@franksongroup.com
- overseas@franksongroup.com
- sales@franksongroup.com
- service@franksongroup.com
- complain@franksongroup.com

 +1 (845) 2631170

 +1 (301) 9603080